ELSEVIER

Neuroscience Letters 274 (1999) 214–217

Neuroscience Letters

Author Index to Volume 274

Abe, K., see Kitagawa, H., 45
Adams, A.C., Keefe, K.A., Buprenorphine potentiates L-DOPA-induced contralateral rotation in 6-hydroxydopamine-treated rats, 25
Adan, A., see Natale, V., 139
Agnati, L.F., see Cintra, A., 5
Agnew, W.S., see Mittman, S., 143
Aguirre, J.A., see Cintra, A., 5
Akiyama, K., Sakurai, Y., Asou, H., Senshu, T., Localization of peptidylarginine deiminase type II in a stage-specific immature oligodendrocyte from rat cerebral hemisphere, 53
Alexandre, A., see Zoccarato, F., 107
Altura, B.M., see Li, W., 83
Altura, B.T., see Li, W., 83
Andbjer, B., see Cintra, A., 5
Antonawich, F.J., Translocation of cytochrome c following transient global ischemia in the gerbil, 123
Anwyl, R., see Huang, L.-Q., 71
Arias-Montaño, J.-A., see Bahena-Trujillo, R., 119
Asada, H., Fukuda, Y., Tsunoda, S., Yamaguchi, M., Tonoike, M., Frontal midline theta rhythms reflect alternative activation of prefrontal cortex and anterior cingulate cortex in humans, 29
Asahi, M., see Wang, X., 79
Asou, H., see Akiyama, K., 53
Aucouturier, P., Kascsak, R.J., Frangione, B., Wisniewski, T., Biochemical and conformational variability of human prion strains in sporadic Creutzfeldt–Jakob disease, 33
Avila-Costa, M.R., see Colín-Barenque, L., 1

Bahena-Trujillo, R., Arias-Montaño, J.-A., [^{3}H] γ-aminobutyric acid transport in rat substantia nigra pars reticulata synaptosomes: pharmacological characterization and phorbol ester-induced inhibition, 119
Baldessarini, R.J., see Zhang, K., 155
Basura, G.J., Walker, P.D., Suppression of serotonin hyperinnervation does not alter the dysregulatory influences of dopamine depletion on striatal neuropeptide gene expression in rodent neonates, 9
Bazan, N.G., see Kolko, M., 167
Bennett, P., see Bonifati, V., 61
Bickford, P.C., see Masino, S.A., 91
Bigl, V., see Reisner, E., 187
Bonifati, V., Joosse, M., Nicholl, D.J., Vanacore, N., Bennett, P., Rizzu, P., Fabbrini, G., Marconi, R., Colosimo, C., Locuratolo, N., Stocchi, F., Bonuccelli, U., De Mari, M., Wenning, G., Vieregge, P., Oostra, B., Meco, G., Heutink, P., The *tau* gene in progressive supranuclear palsy: exclusion of mutations in coding exons and exon 10 splice sites, and identification of a new intronic variant of the disease-associated H1 haplotype in Italian cases, 61
Bonino, M., Cantino, D., Sassoè-Pognetto, M., Cellular and subcellular localization of γ-aminobutyric acid$_B$ receptors in the rat olfactory bulb, 195
Bonuccelli, U., see Bonifati, V., 61
Borst, A., see Oertner, T.G., 95
Bradley, R.J., see Dwyer, D.S., 151
Brines, M.L., Ling, Z., Broadus, A.E., Parathyroid hormone-related protein protects against kainic acid excitotoxicity in rat cerebellar granule cells by regulating L-type channel calcium flux, 13
Broadus, A.E., see Brines, M.L., 13
Bruhn, T., see Kolko, M., 167
Buchman, V.L., see Flowers, J.M., 21

Cantino, D., see Bonino, M., 195
Catlin, P.A., see Seburn, K.L., 41
Cavallini, L., see Zoccarato, F., 107
Chai, H., Wu, W., So, K.-F., Prevette, D.M., Oppenheim, R.W., Long-term effects of a single dose of brain-derived neurotrophic factor on motoneuron survival following spinal root avulsion in the adult rat, 147
Chang, J.-K., see Han, Z., 75
Chatterjee, S.S., see Reisner, E., 187
Chiaramello, A., see Uittenbogaard, M., 191
Christensen, T., see Kolko, M., 167
Chung, J.-M., see Kim, Y.I., 99
Cintra, A., Aguirre, J.A., Andbjer, B., Finnman, U.-B., Hagman, M., Agnati, L.F., Höglund, C., Möller, A., Fuxe, K., Subchronic toluene exposure in low concentrations produces signs of reduced dysfunction in the 6-hydroxydopamine lesioned nigrostriatal dopaminergic system of the rat, 5
Colín-Barenque, L., Avila-Costa, M.R., Fortoul, T., Rugerio-Vargas, C., Machado-Salas, J.P., Espinosa-Villanueva, J., Rivas-Arancibia, S., Morphologic alteration of the olfactory bulb after acute ozone exposure in rats, 1
Colosimo, C., see Bonifati, V., 61
Cope, T.C., see Seburn, K.L., 41
Cras, P., see Vanderhoeven, I., 183

Davies, A.M., see Flowers, J.M., 21
De Jonghe, C., see Vanderhoeven, I., 183
De Mari, M., see Bonifati, V., 61
Diemer, N.H., see Kolko, M., 167
Dixon, J.F., see Seburn, K.L., 41
Doyu, M., see Hayakawa, K., 103
Ducray, A., Propper, A., Kastner, A., Detection of α-L fucose containing carbohydrates in mouse immature olfactory neurons, 17
Duman, R.S., see Thome, J., 37
Dunwiddie, T.V., see Masino, S.A., 91
Dwyer, D.S., Liu, Y., Bradley, R.J., Dopamine receptor antagonists modulate glucose uptake in rat pheochromocytoma (PC12) cells, 151
Eastman, C.I., see Hébert, M., 127
Espinosa-Villanueva, J., see Colín-Barenque, L., 1

PII: S0304-3940(99)00774-0

Fabbrini, G., see Bonifati, V., 61
Finnman, U.-B., see Cintra, A., 5
Flowers, J.M., Leigh, P.N., Davies, A.M., Ninkina, N.N., Buchman, V.L., Vaughan, J., Wood, N.W., Powell, J.F., Mutations in the gene encoding human persyn are not associated with amyotrophic lateral sclerosis or familial Parkinson's disease, 21
Fortoul, T., see Colín-Barenque, L., 1
Frangione, B., see Aucouturier, P., 33
Fuglevand, A.J., see Peters, E.J.D., 66
Fukuda, Y., see Asada, H., 29
Fukumitsu, H., Sometani, A., Ohmiya, M., Nitta, A., Nomoto, H., Furukawa, Y., Furukawa, S., Induction of a physiologically active brain-derived neurotrophic factor in the infant rat brain by peripheral administration of 4-methylcatechol, 115
Fukuuchi, Y., see Tanahashi, N., 199
Furukawa, S., see Fukumitsu, H., 115
Furukawa, Y., see Fukumitsu, H., 115
Fuxe, K., see Cintra, A., 5

García-Ayllón, M.S., Sáez-Valero, J., Piqueras-Pérez, C., Vidal, C.J., Characterization of molecular forms of acetyl- and butyrylcholinesterase in human acoustic neurinomas, 56
Gewirtz, J.C., see Thome, J., 37
Guo, J., see Mittman, S., 143

Hagman, M., see Cintra, A., 5
Han, H.C., see Kim, Y.I., 99
Han, J.-S., see Han, Z., 75
Han, Z., Jiang, Y.-H., Wan, Y., Wang, Y., Chang, J.-K., Han, J.-S., Endomorphin-1 mediates 2 Hz but not 100 Hz electroacupuncture analgesia in the rat, 75
Hara, T., see Kanamaru, A., 203
Hayakawa, K., Itoh, T., Niwa, H., Yamamoto, M., Liang, Y., Doyu, M., Sobue, G., Nerve growth factor prevention of aged-rat sympathetic neuron injury by cisplatin, vincristine and taxol – in vitro explant study, 103
Hébert, M., Martin, S.K., Eastman, C.I., Nocturnal melatonin secretion is not suppressed by light exposure behind the knee in humans, 127
Herrero, J.F., see Mazario, J., 179
Heutink, P., see Bonifati, V., 61
Hodgkins, P.S., see Scharfman, H.E., 111
Höglund, C., see Cintra, A., 5
Homma, I., see Kanamaru, A., 203
Hong, S.K., see Kim, Y.I., 99
Huang, L.-Q., Rowan, M.J., Anwyl, R., Role of protein kinases A and C in the induction of mGluR-dependent long-term depression in the medial perforant path of the rat dentate gyrus in vitro, 71

Inoue, K., see Tanahashi, N., 199
Itoh, T., see Hayakawa, K., 103

Jäger, M., Wolf, S., Localization of 5-oxo-L-prolinase mRNA in the murine choroid plexus by in situ hybridization, 171
Jiang, Y.-H., see Han, Z., 75
Joosse, M., see Bonifati, V., 61
Kanamaru, A., Homma, I., Hara, T., Movement related cortical source for elbow flexion in patients with brachial plexus injury after intercostal-musculocutaneous nerve crossing, 203
Kaneko, S., see Mizukami, K., 49
Kascsak, R.J., see Aucouturier, P., 33
Kastner, A., see Ducray, A., 17
Kawasaki, K., see Sakaguchi, T., 135
Keefe, K.A., see Adams, A.C., 25
Kim, D.Y., see Kim, Y.I., 99
Kim, S.H., see Kim, Y.I., 99
Kim, Y.I., Kim, S.H., Kim, D.Y., Lee, H.W., Shin, H.-C., Chung, J.-M., Han, H.C., Na, H.S., Hong, S.K., Electrophysiological evidence for the role of substance P in retinohypothalamic transmission in the rat, 99
Kitagawa, H., Warita, H., Sasaki, C., Ri Zhang, W., Sakai, K., Shiro, Y., Mitsumoto, Y., Mori, T., Abe, K., Immunoreactive Akt, PI3-K and ERK protein kinase expression in ischemic rat brain, 45
Kojima, N., Nakazawa, K., Yano, H., Effects of limb loading on the lower-limb electromyographic activity during orthotic locomotion in a paraplegic patient, 211
Kolko, M., Bruhn, T., Christensen, T., Lazdunski, M., Lambeau, G., Bazan, N.G., Diemer, N.H., Secretory phospholipase A_2 potentiates glutamate-induced rat striatal neuronal cell death in vivo, 167
Kounomi, S., see Mizukami, K., 49
Kula, N.S., see Zhang, K., 155
Kuno, M., see Sakaguchi, T., 135

Lambeau, G., see Kolko, M., 167
Lazdunski, M., see Kolko, M., 167
Lee, H.W., see Kim, Y.I., 99
Lee, M.H., see Seburn, K.L., 41
Lee, S.-C., see Scharfman, H.E., 111
Leigh, P.N., see Flowers, J.M., 21
Li, W., Zheng, T., Wang, J., Altura, B.T., Altura, B.M., Extracellular magnesium regulates effects of vitamin B_6, B_{12} and folate on homocysteinemia-induced depletion of intracellular free magnesium ions in canine cerebral vascular smooth muscle cells: possible relationship to $[Ca^{2+}]_i$, atherogenesis and stroke, 83
Liang, Y., see Hayakawa, K., 103
Ling, Z., see Brines, M.L., 13
Liu, Y., see Dwyer, D.S., 151
Lo, E.H., see Wang, X., 79
Locuratolo, N., see Bonifati, V., 61

Machado-Salas, J.P., see Colín-Barenque, L., 1
Marconi, R., see Bonifati, V., 61
Martin, J.-J., see Vanderhoeven, I., 183
Martin, S.K., see Hébert, M., 127
Masino, S.A., Mesches, M.H., Bickford, P.C., Dunwiddie, T.V., Acute peroxide treatment of rat hippocampal slices induces adenosine-mediated inhibition of excitatory transmission in area CA1, 91
Matteson, M.S., see Seburn, K.L., 41
Mazario, J., Herrero, J.F., Antinociceptive effects of metamizol (dipyrone) in rat single motor units, 179
Meco, G., see Bonifati, V., 61
Mendell, L.M., see Shu, X., 159
Mesches, M.H., see Masino, S.A., 91
Mitsumoto, Y., see Kitagawa, H., 45
Mittman, S., Guo, J., Agnew, W.S., Structure and alternative splicing of the gene encoding α_{1G}, a human brain T calcium channel α_1 subunit, 143
Mizukami, K., Kounomi, S., Kaneko, S., Satoh, M., Some physiological and pharmacological properties of slow depolarization of substantia gelatinosa neurons by repetitive stimulation of C-fibers of dorsal root in adult rat spinal cord slices with dorsal root attached, 49
Möller, A., see Cintra, A., 5

Mori, T., see Kitagawa, H., 45
Morotomi, T., see Takegata, R., 207

Na, H.S., see Kim, Y.I., 99
Nakazawa, K., see Kojima, N., 211
Natale, V., Adan, A., Season of birth modulates morningness-eveningness preference in humans, 139
Neumeyer, J.L., see Zhang, K., 155
Nicholl, D.J., see Bonifati, V., 61
Ninkina, N.N., see Flowers, J.M., 21
Nishimura, M., Sato, K., Ketamine stereoselectively inhibits rat dopamine transporter, 131
Nitta, A., see Fukumitsu, H., 115
Niwa, H., see Hayakawa, K., 103
Nöldner, M., see Reisner, E., 187
Nomoto, H., see Fukumitsu, H., 115

Oertner, T.G., Single, S., Borst, A., Separation of voltage- and ligand-gated calcium influx in locust neurons by optical imaging, 95
Ohmiya, M., see Fukumitsu, H., 115
Oostra, B., see Bonifati, V., 61
Oppenheim, R.W., see Chai, H., 147

Peters, E.J.D., Fuglevand, A.J., Cessation of human motor unit discharge during sustained maximal voluntary contraction, 66
Pierau, F.-K., see Yakimova, K.S., 87
Piqueras-Pérez, C., see García-Ayllón, M.S., 56
Powell, J.F., see Flowers, J.M., 21
Prevette, D.M., see Chai, H., 147
Propper, A., see Ducray, A., 17

Reisner, E., Nöldner, M., Roßner, S., Chatterjee, S.S., Bigl, V., Schliebs, R., Acute effect of KA-672, a putative cognitive enhancer, on neurotransmitter receptor binding in mouse brain, 187
Retz, W., see Thome, J., 37
Retz-Junginger, P., see Thome, J., 37
Ri Zhang, W., see Kitagawa, H., 45
Rivas-Arancibia , S., see Colín-Barenque, L., 1
Rizzu, P., see Bonifati, V., 61
Roßner, S., see Reisner, E., 187
Rösler, M., see Thome, J., 37
Rowan, M.J., see Huang, L.-Q., 71
Rugerio-Vargas, C., see Colín-Barenque, L., 1

Sáez-Valero, J., see García-Ayllón, M.S., 56
Sakaguchi, T., Kuno, M., Kawasaki, K., Disparity of cell swelling and rapid neuronal death by excitotoxic insults in rat hippocampal slice cultures, 135
Sakai, K., see Kitagawa, H., 45
Sakai, N., see Thome, J., 37
Sakurai, Y., see Akiyama, K., 53
Sasaki, C., see Kitagawa, H., 45
Sassoè-Pognetto, M., see Bonino, M., 195
Sato, K., see Nishimura, M., 131
Satoh, M., see Mizukami, K., 49
Schaible, H.-G., see von Banchet, G.S., 175
Scharfman, H.E., Hodgkins, P.S., Lee, S.-C., Schwarcz, R., Quantitative differences in the effects of de novo produced and exogenous kynurenic acid in rat brain slices, 111
Schiszler, I., see Tanahashi, N., 199
Schliebs, R., see Reisner, E., 187
Schwarcz, R., see Scharfman, H.E., 111
Schwartz, A.D., Whitacre, C.L., Wilson, D.F., Do ryanodine receptors regulate transmitter release at the neuromuscular junction of the rat? 163
Seburn, K.L., Catlin, P.A., Dixon, J.F., Lee, M.H., Matteson, M.S., Cope, T.C., Decline in spontaneous activity of group Aαβ sensory afferents after sciatic nerve axotomy in rat, 41
Senshu, T., see Akiyama, K., 53
Shin, H.-C., see Kim, Y.I., 99
Shiro, Y., see Kitagawa, H., 45
Shu, X., Mendell, L.M., Nerve growth factor acutely sensitizes the response of adult rat sensory neurons to capsaicin, 159
Single, S., see Oertner, T.G., 95
So, K.-F., see Chai, H., 147
Sobue, G., see Hayakawa, K., 103
Sometani, A., see Fukumitsu, H., 115
Stocchi, F., see Bonifati, V., 61

Takegata, R., Morotomi, T., Integrated neural representation of sound and temporal features in human auditory sensory memory: an event-related potential study, 207
Tanahashi, N., Fukuuchi, Y., Tomita, M., Yokoyama, M., Tomita, Y., Inoue, K., Schiszler, I., Platelet adhesion to human brain microvascular endothelial cells in vitro. Observation with video-enhanced contrast microscopy, 199
Tarazi, F.I., see Zhang, K., 155
Thome, J., Gewirtz, J.C., Sakai, N., Zachariou, V., Retz-Junginger, P., Retz, W., Duman, R.S., Rösler, M., Polymorphisms of the human apolipoprotein E promoter and bleomycin hydrolase gene: risk factors for Alzheimer's dementia? 37
Tomita, M., see Tanahashi, N., 199
Tomita, Y., see Tanahashi, N., 199
Tonoike, M., see Asada, H., 29
Tsunoda, S., see Asada, H., 29

Uittenbogaard, M., Chiaramello, A., Expression of the basic Helix-Loop-Helix ME1 E-protein during development and aging of the murine cerebellum, 191

Valente, M., see Zoccarato, F., 107
Van Broeckhoven, C., see Vanderhoeven, I., 183
Vanacore, N., see Bonifati, V., 61
Vanderhoeven, I., Cras, P., Martin, J.-J., Van Broeckhoven, C., De Jonghe, C., Proteolytic processing of presenilin-1 in human lymphoblasts is not affected by the presence of the I143T and G384A mutations, 183
Vaughan, J., see Flowers, J.M., 21
Vidal, C.J., see García-Ayllón, M.S., 56
Vieregge, P., see Bonifati, V., 61
von Banchet, G.S., Schaible, H.-G., Localization of the neurokinin 1 receptor on a subset of substance P-positive and isolectin B4-negative dorsal root ganglion neurons of the rat, 175

Walker, P.D., see Basura, G.J., 9
Wan, Y., see Han, Z., 75
Wang, J., see Li, W., 83
Wang, X., Asahi, M., Lo, E.H., Tissue type plasminogen activator amplifies hemoglobin-induced neurotoxicity in rat neuronal cultures, 79
Wang, Y., see Han, Z., 75
Warita, H., see Kitagawa, H., 45

Wenning, G., see Bonifati, V., 61
Whitacre, C.L., see Schwartz, A.D., 163
Wilson, D.F., see Schwartz, A.D., 163
Wisniewski, T., see Aucouturier, P., 33
Wolf, S., see Jäger, M., 171
Wood, N.W., see Flowers, J.M., 21
Wu, W., see Chai, H., 147

Yakimova, K.S., Pierau, F.-K., Effect of nociceptin and [Phe$^1\Psi$ (CH_2–NH) Gly^2]-nociceptin-(1–13)-NH_2 on tonic activity of rat hypothalamic neurons, 87
Yamaguchi, M., see Asada, H., 29
Yamamoto, M., see Hayakawa, K., 103
Yano, H., see Kojima, N., 211
Yokoyama, M., see Tanahashi, N., 199

Zachariou, V., see Thome, J., 37
Zhang, K., Tarazi, F.I., Kula, N.S., Baldessarini, R.J., Neumeyer, J.L., Selective alkylatation of dopamine D_2 and D_4 receptors in rat brain by *N*-(*p*-isothiocyanatophenethyl)spiperone, 155
Zheng, T., see Li, W., 83
Zoccarato, F., Cavallini, L., Valente, M., Alexandre, A., Modulation of glutamate exocytosis by redox changes of superficial thiol groups in rat cerebrocortical synaptosomes, 107